





Crowne Slate

LIMITED LIFETIME ARCHITECTURAL SHINGLES¹

Crowne Slate laminated fiberglass shingles will provide your estate home or exclusive property with a lasting legacy of beautiful protection. They're designed to emulate the look and color of locally quarried natural stone. Only you will know how much less expensive they are. And any professional roofing contractor can easily install a Crowne Slate roof.

Their premium laminated fiberglass mat is saturated and stabilized with IKO-SBS modified asphalt for exceptional flexibility in all types of weather. This ultra-durable, ultra-strong rubberized material enables Crowne Slate shingles to resist hail, severe wind and temperature extremes, earning them a Class 4 impact resistance rating.

What does that mean? In independent laboratory tests, a 2" steel ball is dropped from a height of 20' on shingles, or ice balls are fired at high-velocity towards shingles to make sure they resist the impact without damage, and our shingles have passed these tests. Discuss this with your insurance agent because depending on where you live, a roof of Class 4 impact resistance rated shingles may entitle you to a discount on your premium.

Choose Crowne Slate with total confidence, for unparalleled curb appeal and quality that lasts for years, even in the worst weather.

- Built-in algae-resistant³ granules
- UL 2218/FM 4473 Class 4 Impact Resistance rating^{4,5}
- 15-Year IKO Iron Clad Protection¹
- Limited Lifetime Warranty¹
- Includes up to 110 mph (177 km/h) Limited Wind Warranty¹
- Optional Limited High Wind Warranty Upgrade to 130 mph (210 km/h) available^{1,2}



¹See Limited Warranty for complete terms, conditions, restrictions, and application requirements

²High Wind Application is required.

³This article contains a preservative to prevent discoloration by algae.

⁴This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of expressed or implied warranty by the manufacturer, supplier or installer.

⁵For further detail concerning the UL 2218 and FM 4473 standards and related tests see

[http://ulstandardsinfonet.ul.com/scopes/scopes.asp?fn=2218.html, http://www.fmglobal.com/assets/pdf/fmapprovals/4473.pdf] (current as of 7/10/15).



Armourshake

LIMITED LIFETIME ARCHITECTURAL SHINGLES¹

Armourshake mimics the interlaced look, deep cut and contoured profile of natural wood shakes. In some communities, real wood shakes are not permitted because of their flammability. Armourshake shingles are more fire-resistant, having the industry's highest Class A rating, allowing you to have the luxurious look of wood without the worry.

With Armourshake you can choose the weathered shake look you want immediately. They will deflect damaging sunlight and resist unsightly algae growth to keep a similar appearance well into the future. With cedar or other wood the finished look takes a couple of years to develop fully and the results do not always meet expectations.

Armourshake is available in five color blends with a dimensional profile and deep cuts that evoke the natural beauty, warmth, and charm of cedar wood shakes.

Experience the warmth, not the worry, of real wood shakes.

- Built-in algae-resistant³ granules
- Superior protection against wind uplift and water penetration
- UL 2218/FM 4473 Class 4 Impact Resistance rating^{4,5}
- 15-Year IKO Iron Clad Protection¹
- Limited Lifetime Warranty¹
- Includes up to 110 mph (177 km/h) Limited Wind Warranty¹
- Optional Limited High Wind Warranty Upgrade to 130 mph (210 km/h) available^{1,2}



¹See Limited Warranty for complete terms, conditions, restrictions and application requirements.

²High Wind Application is required.


³This article contains a preservative to prevent discoloration by algae.



⁴This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of expressed or implied warranty by the manufacturer, supplier or installer.

⁵For further detail concerning the UL 2218 and FM 4473 standards and related tests see

 $[http://ulstandardsinfonet.ul.com/scopes/scopes.asp?fn=2218.html, \\ http://www.fmglobal.com/assets/pdf/fmapprovals/4473.pdf] (current as of 7/10/15).$







LIMITED LIFETIME ARCHITECTURAL SHINGLES¹

Now you can achieve the sophisticated, in-demand look of natural slate tiles for your home at a very reasonable cost. And you'll never have the worry, expense or maintenance issues associated with genuine stone.

Royal Estate shingles are built and backed to protect you and yours against the elements while looking sensational, season after season. With four striking natural stone color blends to choose from, you'll surely find the perfect match to complement your home's unique style and express your personal taste.

expense.

- Built-in algae-resistant³ granules
- 15-Year IKO Iron Clad Protection¹
- Limited Lifetime Warranty¹
- Includes up to 110 mph (177 km/h) Limited Wind Warranty¹
- Optional Limited High Wind Warranty Upgrade to 130 mph (210 km/h) available^{1,2}



¹See Limited Warranty for complete terms, conditions, restrictions, and application requirements.

²High Wind Application is required.

³This article contains a preservative to prevent discoloration by algae.



Crowne Slate - Royal Granite



Crowne Slate - Regal Stone



Royal Estate - Taupe Slate



Royal Estate - Mountain Slate



Royal Estate - Harvest Slate



Royal Estate - Shadow Slate



Armourshake - Chalet Wood



Armourshake - Weathered Stone



LIMITED LIFETIME ARCHITECTURAL SHINGLES¹

Here you can see for yourself the beautiful color blends available for Crowne Slate, Armourshake and Royal Estate architectural laminated shingles. Crowne Slate and Royal Estate resemble natural slate tiles and Armourshake mimics the interlaced look, deep cut and contoured profile of thick natural wood shakes.

Shingle Swatches and House Photography shown are as accurate as modern printing processes allow. Shingle swatches shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction, please make your final color selection from several full size shingles and view a sample of the product installed on a home. Be sure to look at the color sample of all material in natural sunlight, at different times of day to ensure that your color choices are complementary.


The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. To find out more about our products and complete details on our Limited Warranty¹ visit: www.iko.com.



Armourshake - Shadow Black



Armourshake - Western Redwood



Armourshake - Greystone

¹ See Limited Warranty for complete terms, conditions, restrictions, and application requirements.





The Premium Collection

All of the shingles in this Collection are manufactured with the industry's most advanced technology and chosen by homeowners like you, who demand the best in quality, durability, performance and value. Along with your choice of shingle from the Premium Collection, IKO highly recommends their PRO4 Roofing Components which include these fine accessory products:



1. Eave Protection

GoldShield™, ArmourGard™, or StormShield™ Ice & Water Protectors

IKO's Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers, vent stacks, and skylights.



2. Underlayment

RoofGard-Cool Grey or StormTite® Underlayment

Use our innovative RoofGard-Cool Grey or StormTite® synthetic underlayment for total deck protection.



3. Roof Starters

Leading Edge Plus Starter Strips

Fast, easy and convenient. IKO's Starter Strips are already cut to size, saving valuable time during the installation of the first course of shingles. Compatible with all existing IKO Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.



4. Ridge Cap Shingles

Hip & Ridge Plus, Hip & Ridge 12 or Ultra HP™

High Profile Ridge Cap Shingles

Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing your home's aesthetic appeal by accentuating the roof line.

Design your own roof with ROOF Viewer™

Start by visiting our website at www.iko.com and try our exclusive RoofViewer™ Interactive Shingle Selector Tool. You can select a style of home and accessorize it with different colors of roof and trim or even upload a picture of your actual house!

Once you've narrowed down your choices, ask your roofing professional or IKO Sales Representative for actual samples of the shingles you're considering. Printing processes are close, but nothing compares to the real thing and colors on the computer are even more prone to variation.

Treat the shingle samples as you would paint chips and view them in different lighting conditions at different times of day. If you're going to select new trim or siding, take samples of those outdoors, too, and see how all the elements work together.

Choosing the right color is the most difficult decision for most homeowners. A new roof is a significant investment and you'll have to live with your color choice. IKO offers you many beautiful color palettes, so take your time to find the one that's right for you and your home. You'll enjoy the results for years to come.







Product
Specifications

Exposur

Standard

Limited Warranty¹ Iron Clad Protection¹ Limited Wind Warranty¹

Limited High

Royal Estate	40 in (1016 mm)	13 1/4 in (336 mm)	5 5/8 in (143 mm)	33.3 ft ² (3.09 m ²)	ASTM D3462 ASTM D3018 ASTM D3161- Class F ASTM E108 - Class A ASTM D7158 - Class H CSA A123.5 CSA A123.51	Limited Lifetime ¹	15 Years	110 mph (177 kph)	130 mph (210 kph)	/
Crowne Slate	39 1/2 in (1003 mm)	13 1/4 in (336 mm)	10 in (254 mm)	25 ft ² (2.32 m ²)	ASTM D3462 ASTM D3016 - Class F ASTM D306 - Class A ASTM D08 - Class A ASTM D7158 - Class H CSA A123.5 CSA A123.5 FM 4473, Class 4*5 UL 2218, Class 4*5	Limited Lifetime ¹	15 Years	110 mph (177 kph)	130 mph (210 kph)	1
Armourshake	37 3/8 in (950 mm)	18 1/2 in (470 mm)	5 1/2 in (140 mm)	20 ft² (1.86 m²)	ASTM D3462 ASTM D3018 ASTM D3161 - Class F ASTM E108 - Class A ASTM D7158 - Class H CSA A123.5 CSA A123.51 FM 4473, Class 4 ^{4,5} UL 2218, Class 4 ^{4,5}	Limited Lifetime ¹	15 Years	110 mph (177 kph)	130 mph (210 kph)	1

Coverage Per Bundle

Note: Product availability may vary by region. All values shown are approximate. †Product is designed and tested to comply with ASTM/CSA Standards at time of manufacture prior to packaging. ¹See Limited Warranty for complete terms, conditions, restrictions and application requirements. ²High Wind Application is required. ³This article contains a preservative to prevent discoloration by algae. ⁴This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of expressed or implied warranty by the manufacturer, supplier or installer. ⁵For further detail concerning the UL 2218 and FM 4473 standards and related tests see

[http://ulstandardsinfonet.ul.com/scopes/scopes.asp?fn=2218.html, http://www.fmglobal.com/assets/pdf/fmapprovals/4473.pdf (current as of 7/10/15).

Shingle Swatches and house photography shown are as accurate as modern printing processes allow. Shingle swatches shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction, please make your final color selection from several full size shingles and view a sample of the product installed on a home. Be sure to look at the color sample of all material in natural sunlight, at different times of day to ensure that your color choices are complementary. The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

Find out more about our products now by talking to an IKO Sales Representative, your professional roofing contractor or contact us directly at: United States 1-888-IKO-ROOF (1-888-456-7663), Canada 1-855-IKO-ROOF (1-855-456-7663) or visit our web site at: www.iko.com.

© Copyright 07/15 - MR9L101





